

DMR Copy of Record

Permit																				
Permit #: IL0067725		Permittee: ZION LANDFILL				Facility: ZION LANDFILL														
Major: No		Permittee Address: 701 GREEN BAY ROAD ZION, IL 60099				Facility Location: 701 GREEN BAY ROAD ZION, IL 60099														
Permitted Feature: 001 External Outfall		Discharge: 001-0 STORMWATER																		
Report Dates & Status																				
Monitoring Period: From 12/01/22 to 12/31/22				DMR Due Date: 01/25/23				Status: NetDMR Validated												
Considerations for Form Completion																				
BOW ID: W0978020009																				
Principal Executive Officer																				
First Name: Mark		Title: General Manager				Telephone: 847-599-5910														
Last Name: Bingham																				
No Data Indicator (NODI)																				
Form NODI: --																				
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3				Units	
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.017	=	0.03	03 - MGD								0	01/01 - Daily	SR - SGLRDG
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/01 - Daily		SR - SGLRDG	
					Value NODI															
Submission Note																				
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																				
Edit Check Errors																				
No errors.																				
Comments																				
Attachments																				
No attachments.																				
Report Last Saved By																				
ZION LANDFILL																				
User: mpearsoneil@charter.net																				
Name: Mary Pearson																				
E-Mail: mpearsoneil@charter.net																				
Date/Time: 2023-01-15 08:38 (Time Zone: -06:00)																				
Report Last Signed By																				
User: jmillereil@comcast.net																				
Name: Joseph Miller																				
E-Mail: jmillier@eilllc.com																				
Date/Time: 2023-01-16 11:50 (Time Zone: -06:00)																				

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

ZION LANDFILL

User: mpearsoneil@charter.net
Name: Mary Pearson
E-Mail: mpearsoneil@charter.net
Date/Time: 2023-01-15 08:51 (Time Zone: -06:00)

Report Last Signed By

User: jmillereil@comcast.net
Name: Joseph Miller
E-Mail: jmillier@eilllc.com
Date/Time: 2023-01-16 11:50 (Time Zone: -06:00)

DMR Copy of Record

Parameter		Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
Code	Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00945	Sulfate, total [as SO4]	1 - Effluent Gross	0	--	Sample									=	966.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.									<=	1729.0 DAILY MX	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Value NODI														
01092	Zinc, total [as Zn]	1 - Effluent Gross	0	--	Sample									<	0.025	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.									<=	0.2967 DAILY MX	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Value NODI														
46000	Phenols	1 - Effluent Gross	0	--	Sample									<	0.005	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.									<=	0.1 DAILY MX	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Value NODI														
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.013	=	0.02	03 - MGD							0	01/01 - Daily	SR - SGLRDG
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							0	01/01 - Daily	SR - SGLRDG
					Value NODI														

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
ZION LANDFILL

User: mpearson@charter.net
Name: Mary Pearson
E-Mail: mpearson@charter.net
Date/Time: 2023-01-15 08:56 (Time Zone: -06:00)

Report Last Signed By

User: jmillereil@comcast.net
Name: Joseph Miller
E-Mail: jmillereil@comcast.net
Date/Time: 2023-01-16 11:50 (Time Zone: -06:00)

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

ZION LANDFILL

User: mpearsoneil@charter.net
Name: Mary Pearson
E-Mail: mpearsoneil@charter.net
Date/Time: 2023-01-15 09:02 (Time Zone: -06:00)

Report Last Signed By

User: jmillereil@comcast.net
Name: Joseph Miller
E-Mail: jmillier@eilllc.com
Date/Time: 2023-01-16 11:50 (Time Zone: -06:00)

DMR Copy of Record

Permit																				
Permit #:		IL0067725			Permittee:		ZION LANDFILL			Facility:		ZION LANDFILL								
Major:		No			Permittee Address:		701 GREEN BAY ROAD ZION, IL 60099			Facility Location:		701 GREEN BAY ROAD ZION, IL 60099								
Permitted Feature:		003 External Outfall			Discharge:		003-0 STORMWATER													
Report Dates & Status																				
Monitoring Period:		From 12/01/22 to 12/31/22			DMR Due Date:		01/25/23			Status:		NetDMR Validated								
Considerations for Form Completion																				
BOW ID: W0978020009																				
Principal Executive Officer																				
First Name:		Mark			Title:		General Manager			Telephone:		847-599-5910								
Last Name:		Bingham																		
No Data Indicator (NODI)																				
Form NODI:		--																		
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.017	=	0.04	03 - MGD								0	01/01 - Daily	SR - SGLRDG
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD									01/01 - Daily	SR - SGLRDG
					Value NODI															
Submission Note																				
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																				
Edit Check Errors																				
No errors.																				
Comments																				
Attachments																				
No attachments.																				
Report Last Saved By																				
ZION LANDFILL																				
User:		mpearsoneil@charter.net																		
Name:		Mary Pearson																		
E-Mail:		mpearsoneil@charter.net																		
Date/Time:		2023-01-15 09:06 (Time Zone: -06:00)																		
Report Last Signed By																				
User:		jmillereil@comcast.net																		
Name:		Joseph Miller																		
E-Mail:		jmillier@eilllc.com																		
Date/Time:		2023-01-16 11:50 (Time Zone: -06:00)																		

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

ZION LANDFILL

User: mpearsoneil@charter.net
Name: Mary Pearson
E-Mail: mpearsoneil@charter.net
Date/Time: 2023-01-15 09:11 (Time Zone: -06:00)

Report Last Signed By

User: jmillereil@comcast.net
Name: Joseph Miller
E-Mail: jmillier@eilllc.com
Date/Time: 2023-01-16 11:50 (Time Zone: -06:00)

DMR Copy of Record

Permit																					
Permit #:	IL0067725	Permittee:	ZION LANDFILL	Facility:	ZION LANDFILL																
Major:	No	Permittee Address:	701 GREEN BAY ROAD ZION, IL 60099	Facility Location:	701 GREEN BAY ROAD ZION, IL 60099																
Permitted Feature:	005 External Outfall	Discharge:	005-0 STORMWATER																		
Report Dates & Status																					
Monitoring Period:	From 12/01/22 to 12/31/22	DMR Due Date:	01/25/23	Status:	NetDMR Validated																
Considerations for Form Completion																					
BOW ID: W0978020009																					
Principal Executive Officer																					
First Name:	Mark	Title:	General Manager	Telephone:	847-599-5910																
Last Name:	Bingham																				
No Data Indicator (NODI)																					
Form NODI:	--																				
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00154	Sulfate [as S]	1 - Effluent Gross	0	--	Sample								=	255.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB			
					Permit Req.												<=	500.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI																
01092	Zinc, total [as Zn]	1 - Effluent Gross	0	--	Sample								<	0.025	19 - mg/L	0	01/30 - Monthly	GR - GRAB			
					Permit Req.												<=	0.159 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI																
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.022	=	0.05	03 - MGD						0	01/01 - Daily	SR - SGLRDG			
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD									01/01 - Daily	SR - SGLRDG	
					Value NODI																
Submission Note																					
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																					
Edit Check Errors																					
No errors.																					
Comments																					
Attachments																					
No attachments.																					
Report Last Saved By																					
ZION LANDFILL																					
User:	mpearson@charter.net																				
Name:	Mary Pearson																				
E-Mail:	mpearson@charter.net																				
Date/Time:	2023-01-15 09:15 (Time Zone: -06:00)																				
Report Last Signed By																					
User:	jmillereil@comcast.net																				
Name:	Joseph Miller																				
E-Mail:	jmillereil@comcast.net																				
Date/Time:	2023-01-16 11:50 (Time Zone: -06:00)																				

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

ZION LANDFILL

User: mpearsoneil@charter.net
Name: Mary Pearson
E-Mail: mpearsoneil@charter.net
Date/Time: 2023-01-15 09:27 (Time Zone: -06:00)

Report Last Signed By

User: jmillereil@comcast.net
Name: Joseph Miller
E-Mail: jmillier@eilllc.com
Date/Time: 2023-01-16 11:50 (Time Zone: -06:00)

DMR Copy of Record

Parameter		Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
Code	Name				Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00154	Sulfate [as S]	1 - Effluent Gross	0	--	Sample									=	182.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.									<=	500.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI														
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample									=	92.7	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.									<=	500.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI														
46000	Phenols	1 - Effluent Gross	0	--	Sample									<	0.017	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.									<=	0.1 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI														
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.02	=	0.03	03 - MGD							0	01/01 - Daily	SR - SGLRDG
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD								01/01 - Daily	SR - SGLRDG
					Value NODI														

Permit

Permit #: **IL0067725** | Permittee: **ZION LANDFILL** | Facility: **ZION LANDFILL**
 Major: **No** | Permittee Address: **701 GREEN BAY ROAD ZION, IL 60099** | Facility Location: **701 GREEN BAY ROAD ZION, IL 60099**

Permitted Feature: **006 External Outfall** | Discharge: **006-0 STORMWATER**

Report Dates & Status

Monitoring Period: **From 12/01/22 to 12/31/22** | DMR Due Date: **01/25/23** | Status: **NetDMR Validated**

Considerations for Form Completion

BOW ID: W0978020009

Principal Executive Officer

First Name: **Mark** | Title: **General Manager** | Telephone: **847-599-5910**
 Last Name: **Bingham**

No Data Indicator (NODI)

Form NODI: **--**

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

ZION LANDFILL

User: **mpearson@charter.net**
 Name: **Mary Pearson**
 E-Mail: **mpearson@charter.net**
 Date/Time: **2023-01-15 09:29 (Time Zone: -06:00)**

Report Last Signed By

User: **jmillereil@comcast.net**
 Name: **Joseph Miller**
 E-Mail: **jmillereil@comcast.net**
 Date/Time: **2023-01-16 11:50 (Time Zone: -06:00)**

DMR Copy of Record

Permit																						
Permit #:		IL0067725			Permittee:				ZION LANDFILL				Facility:		ZION LANDFILL							
Major:		No			Permittee Address:				701 GREEN BAY ROAD ZION, IL 60099				Facility Location:		701 GREEN BAY ROAD ZION, IL 60099							
Permitted Feature:		006 External Outfall			Discharge:				006-Q QUARTERLY REPORTING AT 006													
Report Dates & Status																						
Monitoring Period:		From 10/01/22 to 12/31/22			DMR Due Date:				01/25/23				Status:		NetDMR Validated							
Considerations for Form Completion																						
BOW ID: W0978020009																						
Principal Executive Officer																						
First Name:		Mark			Title:				General Manager				Telephone:		847-599-5910							
Last Name:		Bingham																				
No Data Indicator (NODI)																						
Form NODI:		--																				
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units			
00011	Temperature, water deg. fahrenheit	1 - Effluent Gross	0	--	Sample												0	01/90 - Quarterly	GR - GRAB			
					Permit Req.						=	41.7	15 - deg F	0	01/90 - Quarterly	GR - GRAB						
					Value NODI						Req Mon QRTR MAX	15 - deg F										
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample											0	01/90 - Quarterly	GR - GRAB				
					Permit Req.						<	15.0	19 - mg/L	0	01/90 - Quarterly				GR - GRAB			
					Value NODI						Req Mon QRTR MAX	19 - mg/L										
00400	pH	1 - Effluent Gross	0	--	Sample					=	7.21				=	7.8	12 - SU	0	01/90 - Quarterly	GR - GRAB		
					Permit Req.						Req Mon QRTR MIN				Req Mon QRTR MAX	12 - SU	0				01/90 - Quarterly	GR - GRAB
					Value NODI																	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample											0	01/90 - Quarterly	GR - GRAB				
					Permit Req.						=	36.9	19 - mg/L	0	01/90 - Quarterly				GR - GRAB			
					Value NODI						Req Mon QRTR MAX	19 - mg/L										
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample											0	01/90 - Quarterly	GR - GRAB				
					Permit Req.						<	5.0	19 - mg/L	0	01/90 - Quarterly				GR - GRAB			
					Value NODI						Req Mon QRTR MAX	19 - mg/L										
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample											0	01/90 - Quarterly	GR - GRAB				
					Permit Req.						<	0.5	19 - mg/L	0	01/90 - Quarterly				GR - GRAB			
					Value NODI						Req Mon QRTR MAX	19 - mg/L										
00680	Carbon, tot organic [TOC]	1 - Effluent Gross	0	--	Sample											0	01/90 - Quarterly	GR - GRAB				
					Permit Req.						=	12.0	19 - mg/L	0	01/90 - Quarterly				GR - GRAB			
					Value NODI						Req Mon QRTR MAX	19 - mg/L										
00900	Hardness, total [as CaCO3]	1 - Effluent Gross	0	--	Sample											0	01/90 - Quarterly	GR - GRAB				
					Permit Req.						=	341.0	19 - mg/L	0	01/90 - Quarterly				GR - GRAB			
					Value NODI						Req Mon QRTR MAX	19 - mg/L										
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample											0	01/90 - Quarterly	GR - GRAB				
					Permit Req.						=	92.7	19 - mg/L	0	01/90 - Quarterly				GR - GRAB			
					Value NODI						Req Mon QRTR MAX	19 - mg/L										
00945	Sulfate, total [as SO4]	1 - Effluent Gross	0	--	Sample											0	01/90 - Quarterly	GR - GRAB				
					Permit Req.						=	194.0	19 - mg/L	0	01/90 - Quarterly				GR - GRAB			
					Value NODI						Req Mon QRTR MAX	19 - mg/L										
00951	Fluoride, total [as F]	1 - Effluent Gross	0	--	Sample											0	01/90 - Quarterly	GR - GRAB				
					Permit Req.						<	0.95	19 - mg/L	0	01/90 - Quarterly				GR - GRAB			
					Value NODI						Req Mon QRTR MAX	19 - mg/L										
01002	Arsenic, total [as As]	1 - Effluent Gross	0	--	Sample											0	01/90 - Quarterly	GR - GRAB				
					Permit Req.						<	0.05	19 - mg/L	0	01/90 - Quarterly				GR - GRAB			
					Value NODI						Req Mon QRTR MAX	19 - mg/L										
01007	Barium, total [as Ba]	1 - Effluent Gross	0	--	Sample											0	01/90 - Quarterly	GR - GRAB				
					Permit Req.						<	0.5	19 - mg/L	0	01/90 - Quarterly				GR - GRAB			
					Value NODI						Req Mon QRTR MAX	19 - mg/L										

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

ZION LANDFILL

User: mpearsoneil@charter.net
Name: Mary Pearson
E-Mail: mpearsoneil@charter.net
Date/Time: 2023-01-15 09:35 (Time Zone: -06:00)

Report Last Signed By

User: jmillereil@comcast.net
Name: Joseph Miller
E-Mail: jmillier@eilllc.com
Date/Time: 2023-01-16 11:50 (Time Zone: -06:00)

DMR Copy of Record

Permit					
Permit #:	IL0067725	Permittee:	ZION LANDFILL	Facility:	ZION LANDFILL
Major:	No	Permittee Address:	701 GREEN BAY ROAD ZION, IL 60099	Facility Location:	701 GREEN BAY ROAD ZION, IL 60099
Permitted Feature:	007 External Outfall	Discharge:	007-0 STORMWATER		

Report Dates & Status					
Monitoring Period:	From 12/01/22 to 12/31/22	DMR Due Date:	01/25/23	Status:	NetDMR Validated

Considerations for Form Completion
BOW ID: W0978020009

Principal Executive Officer					
First Name:	Mark	Title:	General Manager	Telephone:	847-599-5910
Last Name:	Bingham				

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type						
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units				
01092	Zinc, total [as Zn]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB				
					Permit Req.																01/30 - Monthly	GR - GRAB	
					Value NODI																		
50050	Flow, in conduit or thru treatment plant	1 - Effluent Gross	0	--	Sample	=	0.017	=	0.03	03 - MGD									01/01 - Daily	SR - SGLRDG			
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD												01/01 - Daily	SR - SGLRDG
					Value NODI																		

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By
ZION LANDFILL

User: mpearsoneil@charter.net
Name: Mary Pearson
E-Mail: mpearsoneil@charter.net
Date/Time: 2023-01-15 09:39 (Time Zone: -06:00)

Report Last Signed By

User: jmillereil@comcast.net
Name: Joseph Miller
E-Mail: jmillereil@comcast.net
Date/Time: 2023-01-16 11:50 (Time Zone: -06:00)

DMR Copy of Record

Permit																					
Permit #:		IL0067725			Permittee:				ZION LANDFILL				Facility:		ZION LANDFILL						
Major:		No			Permittee Address:				701 GREEN BAY ROAD ZION, IL 60099				Facility Location:		701 GREEN BAY ROAD ZION, IL 60099						
Permitted Feature:		007 External Outfall			Discharge:				007-Q QUARTERLY REPORTING AT 007												
Report Dates & Status																					
Monitoring Period:		From 10/01/22 to 12/31/22			DMR Due Date:				01/25/23				Status:		NetDMR Validated						
Considerations for Form Completion																					
BOW ID: W0978020009																					
Principal Executive Officer																					
First Name:		Mark			Title:				General Manager				Telephone:		847-599-5910						
Last Name:		Bingham																			
No Data Indicator (NODI)																					
Form NODI:		--																			
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00011	Temperature, water deg. fahrenheit	1 - Effluent Gross	0	--	Sample											=	42.1	15 - deg F	0	01/90 - Quarterly	GR - GRAB
					Permit Req.												Req Mon QRTR MAX	15 - deg F			
					Value NODI																
00310	BOD, 5-day, 20 deg. C	1 - Effluent Gross	0	--	Sample											<	2.0	19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.												Req Mon QRTR MAX	19 - mg/L			
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample					=	7.1					=	8.5	12 - SU	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon QRTR MIN					Req Mon QRTR MAX	12 - SU			
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample											<	10.0	19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.												Req Mon QRTR MAX	19 - mg/L			
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample											<	5.0	19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.												Req Mon QRTR MAX	19 - mg/L			
					Value NODI																
00610	Nitrogen, ammonia total [as N]	1 - Effluent Gross	0	--	Sample											<	0.5	19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.												Req Mon QRTR MAX	19 - mg/L			
					Value NODI																
00680	Carbon, tot organic [TOC]	1 - Effluent Gross	0	--	Sample											=	5.3	19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.												Req Mon QRTR MAX	19 - mg/L			
					Value NODI																
00900	Hardness, total [as CaCO3]	1 - Effluent Gross	0	--	Sample											=	149.0	19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.												Req Mon QRTR MAX	19 - mg/L			
					Value NODI																
00940	Chloride [as Cl]	1 - Effluent Gross	0	--	Sample											=	12.6	19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.												Req Mon QRTR MAX	19 - mg/L			
					Value NODI																
00945	Sulfate, total [as SO4]	1 - Effluent Gross	0	--	Sample											=	100.0	19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.												Req Mon QRTR MAX	19 - mg/L			
					Value NODI																
00951	Fluoride, total [as F]	1 - Effluent Gross	0	--	Sample											=	1.1	19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.												Req Mon QRTR MAX	19 - mg/L			
					Value NODI																
01002	Arsenic, total [as As]	1 - Effluent Gross	0	--	Sample											<	0.05	19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.												Req Mon QRTR MAX	19 - mg/L			
					Value NODI																
01007	Barium, total [as Ba]	1 - Effluent Gross	0	--	Sample											<	0.5	19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.												Req Mon QRTR MAX	19 - mg/L			
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

ZION LANDFILL

User: mpearsoneil@charter.net
Name: Mary Pearson
E-Mail: mpearsoneil@charter.net
Date/Time: 2023-01-15 09:47 (Time Zone: -06:00)

Report Last Signed By

User: jmillereil@comcast.net
Name: Joseph Miller
E-Mail: jmillereil@eillc.com
Date/Time: 2023-01-16 11:50 (Time Zone: -06:00)