TABLE OF CONTENTS

APTIM

TABLE OF CONTENTS

ZION LANDFILL – SITE 2 NORTH EXPANSION

APPLICATION FOR IEPA DEVELOPMENT PERMIT APPROVAL

EXECUTIVE SUMMARY

Executive Summary.....E-1

SECTION 1.0 - IEPA FORMS

LPC-PA1
LPC-PA2
LPC-PA8
LPC-PA16
39(i) Certification

SECTION 2.0 - INTRODUCTION

Introduction 2.0-1

SECTION 2.1 - LOCATION

Introduction 2.1-1
Proposed Location 2.1-1
Site History 2.1-4
Proposed Facility Overview 2.1-4
Legal Description 2.1-5
Site Location Standards 2.1-5
Airport Standards 2.1-6
Floodplain Standards 2.1-7
Wetlands and Waters of the U.S. 2.1-8
Fault Areas 2.1-9
Unstable Areas 2.1-9
Seismic Impact Zones 2.1-9
Wild and Scenic Rivers 2.1-10
Historic and Natural Areas 2.1-11
Endangered Species 2.1-12
Water Quality Management Plan 2.1-13
Water Supply Wells Setback 2.1-13
Sole-Source Aquifers and Regulated Recharge Areas 2.1-14
Roads and Highways 2.1-15
Occupied Dwellings, Schools, Retirement Homes, Hospitals, Etc. 2.1-15

SECTION 2.2 - HYDROGEOLOGIC INVESTIGATION

Introduction 2.2-1
Objectives of the Investigation 2.2-2
Project Background 2.2-3
- Proposed Location 2.2-3
- Site History 2.2-3
- Climate Data 2.2-6

APTIM

Regional Geology and Hydrogeology 2.2-6
Methodology 2.2-7
Water Wells 2.2-7
Physiography and Relief 2.2-8
Surficial Soils 2.2-8
Regional Bedrock Stratigraphy 2.2-8
Regional Bedrock Topography 2.2-19
Regional Bedrock Structural Features 2.2-19
Seismic Risk 2.2-19
Unconsolidated Deposits 2.2-24
Regional Groundwater Resources 2.2-29
Bedrock Groundwater Resources 2.2-31
Surficial and Glacial Deposit Groundwater Resources 2.2-32
Aquifer Sensitivity 2.2-32
Coal Mining 2.2-32
Site Specific Hydrogeologic Investigation 2.2-35
Hydrogeologic Investigation Methodology 2.2-37
Drilling and Field Procedures 2.2-37
Soil Sampling 2.2-37
Piezometer Installation 2.2-39
Piezometer Development 2.2-40
Surveying 2.2-44
Borehole Abandonment Procedures 2.2-44
Water Level Measurements 2.2-44
In-Situ Hydraulic Conductivity Testing 2.2-44
Laboratory Soil Testing 2.2-45
Site Geology 2.2-46
Bedrock 2.2-46
Unconsolidated Deposits 2.2-47
Site Hydrogeology 2.2-52
Uppermost Aquifer 2.2-53
620 Groundwater Classification Evaluation 2.2-54
Geologic and Hydrogeologic Conclusions 2.2-54
References 2.2-57

SECTION 2.3 - DESIGN

Introduction 2.3-1
Site 2 Landfill 2.3-1
Site 2 North Expansion 2.3-1
Proposed Landfill Design Overview 2.3-3
Location of Landfill Design 2.3-4
Designing Integration with Existing Facility 2.3-4
Existing Infrastructure 2.3-4
Utilities 2.3-5
Physical Connection to Existing Landfill 2.3-5
Hydrogeologic Consideration in Landfill Design 2.3-5
Landfill Composite Liner System 2.3-6
Low-Permeability Earth Liner 2.3-6
Geomembrane 2.3-7
Geosynthetic Clay Liners (GCLs) 2.3-7
CQA Documentation 2.3-7

Leachate Management 2.3-8
Origin of Leachate 2.3-8
Overview of Leachate System 2.3-8
Safeguards of the Leachate Collection System 2.3-9
Maintaining the Leachate Collection System 2.3-10
Leachate Collection and Disposal 2.3-10
Leachate Storage Tank and Secondary Containment System 2.3-11
Leachate Monitoring 2.3-11
Evaluations of the Leachate Collection System 2.3-11
Final Cover System 2.3-12
Low Permeability Layer 2.3-12
Geomembrane Layer 2.3-13
Geocomposite Drainage Layer 2.3-13
Protective Layer 2.3-13
Vegetative Cover 2.3-13
Final Cover Construction and Maintenance 2.3-14
Cover Percolation 2.3-14
Final Landform 2.3-14
Stormwater Management 2.3-15
Landfill Gas Management 2.3-15
Landfill Gas Composition 2.3-16
Quantity of Landfill Gas 2.3-17
Landfill Gas Collection 2.3-17
Compliance with Siting Ordinance Conditions 2.3-17
Geotechnical Analyses 2.3-19
Geotechnical Analyses Design Parameters Summary 2.3-20
Shear Strength Evaluations 2.3-21
Landfill Foundation Evaluations 2.3-23
Liner/Leachate Collection System Evaluations 2.3-24
Final Cover Evaluations 2.3-26
Design Period 2.3-28
Construction Phasing 2.3-28
Estimated Phasing Schedule 2.3-29
Cell Development 2.3-29
Groundwater Seepage 2.3-31
Initial Filling Sequence 2.3-31
Seasonal Construction and Filling Considerations 2.3-31
Placement of Final Cover 2.3-32
Material Balance 2.3-32

SECTION 2.4 - STORMWATER MANAGEMENT PLAN

Overview of Project 2.4-1
Stormwater Regulatory Requirements 2.4-1
Illinois Environmental Protection Agency 2.4-1
Lake County Stormwater Management Commission 2.4-2
Benchmark Objectives 2.4-3
Existing Conditions 2.4-4
Physiography and Topography 2.4-4
Currently Permitted Stormwater Controls 2.4-4
Existing Landfill Areas and Controls Modified by the Expansion 2.4-4
Soil Conditions 2.4-5

APTIM

Land Cover 2.4-5
Wetland Delineation 2.4-6
Drain Tile Survey 2.4-6
Depressional Storage 2.4-6
Floodplain 2.4-7
Proposed Conditions 2.4-7
Overview 2.4-7
Terrace Berms 2.4-7
Flume Pipes (Letdown Pipes) or Downchutes 2.4-8
Perimeter Ditches 2.4-8
Culverts 2.4-9
Drain Tile 2.4-9
Stormwater/Sedimentation Basins 2.4-10
Stormwater/Sedimentation Basin Outlet Structures 2.4-10
Hydrologic Analyses 2.4-12
Methodology Overview 2.4-12
Model Input Parameters 2.4-13
Key Model Results 2.4-15
Runoff Volume Reduction Hierarchy 2.4-16
Preserving Natural Resource Features 2.4-16
Minimization of Impervious Surfaces 2.4-17
Enhancement of Infiltration and Storage Characteristics 2.4-17
Use of Channels and Native Vegetation 2.4-17
Structural Measures that Improve Water Quality and Volume Reduction 2.4-17
Structural Measures that Provide Volume Reduction and Other Rainwater Harvesting Practices 2.4-17
Measures that Provide Water Quality and Quantity Control 2.4-17
Measures that Provide Water Quantity Control 2.4-18
Stormwater Controls During Cell Development 2.4-18
NPDES Requirements 2.4-18
Final Grading 2.4-18
Vegetative Soil Stabilization 2.4-19
Access Roads 2.4-19
Erosion and Sediment Control 2.4-19
Inspection and Maintenance 2.4-20
Conclusion 2.4-20

SECTION 2.5 - CONSTRUCTION QUALITY ASSURANCE PLAN

Introduction 2.5-1

SECTION 2.6 - OPERATING PLAN

Introduction 2.6-1

SECTION 2.7 - GROUNDWATER IMPACT ASSESSMENT

Introduction 2.7-1
Proposed Landfill Evaluation 2.7-3
Summary of GIA Findings 2.7-3
Groundwater Impact Assessment Approach 2.7-3
Leachate Quality Characterization and Groundwater Quality Standards 2.7-4

Leachate Quality Characterization 2.7-4
Groundwater Quality Standards 2.7-4
Design Considerations and Groundwater Impact Assessment Model 2.7-4
Conversion of Conceptual Model to Mathematical POLLUTE Model 2.7-5
Calculating Predicted Groundwater Concentrations 2.7-7
Interpretation of POLLUTE Model Results 2.7-7
Model Input 2.7-8
Model Input 2.7-8
Model Length 2.7-8
Initial Leachate Concentration 2.7-11
Number of Layers 2.7-11
Modeling Period 2.7-11
Talbot Parameters 2.7-11
Boundary Conditions 2.7-11
Advective (Darcy) Velocity 2.7-12
Hydrodynamic Dispersion Coefficient 2.7-12
Effective Porosity and Dry Density Input 2.7-13
Adsorption Coefficient 2.7-13
Degradation 2.7-13
Model Evaluation Distance 2.7-14
Model Results 2.7-14
Anticipated Site Conditions Phase 2.7-14
Sensitivity Analysis 2.7-19
Coefficient of Hydrodynamic Dispersion 2.7-19
Effective Porosity 2.7-19
Layer Thickness 2.7-20
Darcy Velocity 2.7-22
Model Reliability 2.7-22
Conservativeness of Baseline Model 2.7-22
GIA Conclusions 2.7-22
References 2.7-24

SECTION 2.8 - ENVIRONMENTAL MONITORING PROGRAM

Introduction 2.8-1
Groundwater Monitoring 2.8-1
Groundwater Monitoring Overview 2.8-1
Monitoring Well Spacing Determination 2.8-2
PLUME Input Data 2.8-3
Results of PLUME Model 2.8-7
Description of the Proposed Monitoring Network 2.8-8
Monitoring Well Phasing 2.8-11
Establishment of Applicable Groundwater Quality Standards 2.8-11
Maximum Allowed Predicted Concentrations (MAPCs) 2.8-16
Design and Construction of Monitoring Wells 2.8-16
Monitoring Well and Boring, Plugging and Abandonment 2.8-17
Test Boring Abandonment 2.8-17
Monitoring Well or Piezometer Abandonment 2.8-18
Groundwater and Leachate Sampling Procedures 2.8-19
Traditional Groundwater Sampling for a Well Without a Dedicated Pump 2.8-20
Detection Monitoring Parameters, Frequency and Data Analyses 2.8-20
Monitoring Prior to Accepting Waste 2.8-21

Detection Monitoring During Landfill Operation 2.8-21
Monitoring During Post-Closure 2.8-21
Statistical Analysis of Groundwater Quality Data 2.8-22
Evaluation of Groundwater Quality Data 2.8-22
Confirmation of Observed Increase 2.8-23
Leachate Monitoring 2.8-23
Landfill Gas Monitoring 2.8-24
Subsurface Monitoring 2.8-24
Surface Emission Monitoring (SEM) and Ambient Air Monitoring 2.8-25
Surface Water Monitoring 2.8-26

SECTION 2.9 - CLOSURE AND POST-CLOSURE CARE PLAN

Introduction 2.9-1

FIGURES

SECTION 2.1

Figure 2.1-1 Site Topographic Map 2.1-2
Figure 2.1-2 Site Aerial Map 2.1-3

SECTION 2.2

Figure 2.2-1 Regional Site Location Map 2.2-4
Figure 2.2-2 Site Location Map 2.2-5
Figure 2.2-3 Physiographic Divisions of Illinois 2.2-9
Figure 2.2-4 General Soil Map 2.2-10
Figure 2.2-5 Generalized Stratigraphic Column 2.2-11
Figure 2.2-6 Top Elevation of the Mt. Simon Sandstone 2.2-13
Figure 2.2-7 Elevation and Thickness of the Eau Claire Formation in Lake Co 2.2-14
Figure 2.2-8 Elevation and Thickness of the Ironton-Galesville Formation in Lake Co 2.2-15
Figure 2.2-9 Elevation and Thickness of the Ancell, Franconia, Potosi, and Eminence Units in Lake Co. 2.2-17
Figure 2.2-10 Elevation and Thickness of the Galena-Platteville Dolomite in Lake Co 2.2-18
Figure 2.2-11 Elevation and Thickness of the Maquoketa Formation in Lake Co 2.2-20
Figure 2.2-12 Bedrock Topography and Thickness of the Silurian Dolomite in Lake Co. 2.2-21
Figure 2.2-13 Bedrock Topography of Illinois 2.2-22
Figure 2.2-14 Structural Features in Illinois 2.2-23
Figure 2.2-15 Map of Horizontal Acceleration 2.2-25
Figure 2.2-16 Quaternary Deposits of Illinois 2.2-26
Figure 2.2-17 Surficial Deposits in the Vicinity of the Site 2.2-27
Figure 2.2-18 Regional Cross-Section 2.2-28
Figure 2.2-19 Moraines in Lake Co 2.2-30
Figure 2.2-20 Surficial Materials of Lake County Differentiated on Basis of Properties Related to Waste Disposal. 2.2-33
Figure 2.2-21 Potential for Contamination of Shallow Aquifers from Land Burial of Municipal Wastes. 2.2-34

SECTION 2.3

Figure 2.3-1 Proposed Expansion Facility Layout 2.3-2
Figure 2.3-2 Cross Section of Expanded Landfill 2.3-2

SECTION 2.7

Figure 2.7-1 Groundwater Impact Assessment Conceptual Model 2.7-6

SECTION 2.8

Figure 2.8-1 Well Spacing Determination Diagram 2.8-9
Figure 2.8-2 Proposed Final Groundwater Monitoring Well Network 2.8-10

APTIM

TABLES

SECTION 2.2

Table 2.2-1 Average Monthly Temperature Extremes and Precipitation for Kenosha, WI 2.2-6
Table 2.2-2 Summary of Boring and Monitoring Well/Piezometer Information Within or Near the Proposed Vertical and Horizontal Expansion Area 2.2-36
Table 2.2-3 Summary of Piezometer Information 2.2-42
Table 2.2-4 Summary of Evaluation of Groundwater Qualification 2.2-54

SECTION 2.3

Table 2.3-1 Typical Composition of Landfill Gas 2.3-17
Table 2.3-2 Summary of Material Unit Weights and Shear Strength 2.3-20
Table 2.3-3 Slope Stability Summary 2.3-22
Table 2.3-4 Rapid Drawdown Conditions 2.3-23
Table 2.3-5 Terrace Berms Factor of Safety 2.3-28
Table 2.3-6 Approximate Phasing of Cell Development 2.3-29

SECTION 2.4

Table 2.4-1 Key Parameters for Existing and Proposed Culverts 2.4-9
Table 2.4-2 Maximum Allowable Release Rate Comparison 2.4-11
Table 2.4-3 Storm Frequencies and Volumes 2.4-13

SECTION 2.7

Table 2.7-1 Baseline Model Input Parameter Values Site 2 North Expansion 2.7-9
Table 2.7-2 POLLUTE Model Groundwater Concentration Prediction Table - Shallow Drift Aquifer 2.7-15

SECTION 2.8

Table 2.8-1 Proposed Groundwater Monitoring Well Network Phasing 2.8-12

PHOTOGRAPHS

SECTION 2.2

Photograph 2.2-1 All-Terrain Drill Rig 2.2-37
Photograph 2.2-2 Penetrometer Test Being Performed 2.2-38
Photograph 2.2-3 Shelby Tube Used for Collection 2.2-39
Photograph 2.2-4 Installation of Sand Filter Pack 2.2-40
Photograph 2.2-5 Installation of Bentonite Pellet Seal 2.2-41
Photograph 2.2-6 Mixing Bentonite Grout 2.2-41
Photograph 2.2-7 Finished Piezometer Cluster at Boring Location B-14-18 ..... 2.2-43
Photograph 2.2-8 Well Development at Completed Piezometer 2.2-43
Photograph 2.2-9 Typical Sample of Wadsworth Till 2.2-48
Photograph 2.2-10 Typical Section of the Shallow Drift 2.2-50
Photograph 2.2-11 Typical Section of the Lower Till 2.2-51
Photograph 2.2-12 Typical Section of the Basal Drift 2.2-52

APTIM

SECTION 2.8

Photograph 2.8-1 Typical Monitoring Well 2.8-9
Photograph 2.8-2 Sampling of a Typical Monitoring Well..... 2.8-20

DIAGRAMS

SECTION 2.2

Diagram 2.2-1 Simplified Diagram of Slug Test Assembly 2.2-44

SECTION 2.8

Diagram 2.8-1 Schematic of a Typical Gas Monitoring Probe..... 2.8-24

GEOLOGIC DRAWINGS

G1 Title Sheet
G2 Water Well Location Map
G3 Continuously Sampled Soil Boring/Piezometer Location Map for Use in Cross Section and Isopach Development
G4 Monitoring Well, Piezometer, and Gas Landfill Gas Probe Location Map
G5 Geological Cross Section A – A'
G6 Geological Cross Section B – B'
G7 Geological Cross Section C – C'
G8 Geological Cross Section D – D'
G9 Geological Cross Section E – E'
G10 Geological Cross Section F – F'
G11 Geological Cross Section G – G'
G12 Geological Cross Section H – H'
G13 Geological Cross Section I – I'
G14 Geological Cross Section J – J'
G15 Geological Cross Section K – K'
G16 Geological Cross Section L – L'
G17 Top Elevation of the Wadsworth Till
G18 Thickness of Wadsworth Till
G19 Top Elevation of Shallow Drift
G20 Thickness of Wadsworth Till Below Excavation Grades
G21 Potentiometric Map of Upper Shallow Drift - February 2019
G22 Potentiometric Map of Lower Shallow Drift - February 2019
G23 Potentiometric Map of Upper Shallow Drift - March 2019
G24 Potentiometric Map of Lower Shallow Drift - March 2019
G25 Potentiometric Map of Upper Shallow Drift - May 2019
G26 Potentiometric Map of Lower Shallow Drift - May 2019
G27 Potentiometric Map of Upper Shallow Drift - June 2019
G28 Potentiometric Map of Lower Shallow Drift - June 2019
G29 Potentiometric Map of Upper Shallow Drift - July 2019
G30 Potentiometric Map of Lower Shallow Drift - July 2019
G31 Potentiometric Map of Upper Shallow Drift - October 2019
G32 Potentiometric Map of Lower Shallow Drift - October 2019
G33 Potentiometric Map of Upper Shallow Drift - February 2020
G34 Potentiometric Map of Lower Shallow Drift - February 2020
G35 Potentiometric Map of Upper Shallow Drift - May2020
G36 Potentiometric Map of Lower Shallow Drift - May 2020
G37 Potentiometric Map of Upper Shallow Drift - August 2020

G38 Potentiometric Map of Lower Shallow Drift - August 2020
G39 Potentiometric Map of Upper Shallow Drift - October 2020
G40 Potentiometric Map of Lower Shallow Drift - October 2020
G41 Potentiometric Map of Upper Shallow Drift - February 2020
G42 Potentiometric Map of Lower Shallow Drift - February 2020
G43 Potentiometric Map of Upper Shallow Drift – May 2021
G44 Potentiometric Map of Lower Shallow Drift – May 2021
G45 Potentiometric Map of Upper Shallow Drift – August 2021
G46 Potentiometric Map of Lower Shallow Drift – August 2021
G47 Potentiometric Map of Upper Shallow Drift – November 2021
G48 Potentiometric Map of Lower Shallow Drift – November 2021
G49 Potentiometric Map of Upper Shallow Drift – February 2022
G50 Potentiometric Map of Lower Shallow Drift – February 2022

DESIGN DRAWINGS

D1 Title Sheet
D2 Regional Facility Location Map
D3 Waste Unit Boundaries
D4 Facility Topography
D5 Permitted Landfill Leachate Collection System Layer Grades
D6 Permitted Landfill Final Cover Grades
D7 Proposed Excavation - Bottom of Liner Grades
D8 Proposed Top of Liner Grades
D9 Conceptual Geomembrane Panel Layout
D10 Proposed Leachate Collection System Layer Grades
D11 Proposed Final Landform Grades
D12 Proposed Environmental Monitoring Plan
D13 Proposed Stormwater Management System
D14 Conceptual Landfill Gas Management System
D15 Liner - Leachate Collection Details - 1
D16 Liner - Leachate Collection Details - 2
D17 Liner - Leachate Collection Details - 3
D18 Liner - Leachate Collection Details - 4
D19 Liner - Leachate Collection Details - 5
D20 Cover and Monitoring Details
D21 Stormwater Management Details - 1
D22 Stormwater Management Details - 2
D23 Stormwater Management Details - 3
D24 Stormwater Management Details - 4
D25 Stormwater Management Details - 5
D26 Landfill Gas Management System Details - 1
D27 Landfill Gas Management System Details - 2
D28 Cross Section A-A'
D29 Cross Section B-B'
D30 Landfill Phasing Plan – A
D31 Landfill Phasing Plan – B
D32 Landfill Phasing Plan – C
D33 Landfill Phasing Plan – D
D34 Landfill Phasing Plan – E
D35 Landfill Phasing Plan – F
D36 Landfill Phasing Plan – G
D37 Landfill Phasing Plan – H

APPENDICES

Appendix A - IEPA Compliance Summary Table

Appendix B - IEPA Permit History

Appendix C - Host Agreements

Appendix D - Plat of Survey, Legal Descriptions, and Property Control

Appendix E - Emergency Preparedness, Prevention, and Response Program

Appendix F - Location Standards
- F.1 - Airports
- F.2 - Floodplain
- F.3 - Wetlands/Waters of the United States
- F.4 - Seismic Impact Zone
- F.5 - Wild and Scenic Rivers
- F.6 - Historic and Natural Areas
- F.7 - Endangered Species
- F.8 - Sole-Source Aquifer/Regulated Recharge Area

Appendix G - Hydrogeologic Investigation
- G.1 - Climate Data
- G.2 - Regional Water Well Logs
- G.3 - USCS Classification Chart and Boring Logs
- G.4 - As-Built Diagrams and Well Construction Reports
- G.5 - Piezometer Development Forms
- G.6 - Groundwater Elevation Summary Table
- G.7 - Horizontal and Vertical Gradient Summary Table
- G.8 - Horizontal Velocity Calculation for Shallow Drift Aquifer

Appendix H - In-Situ Hydraulic Conductivity Test Data
- H.1 - Slug Test Summary (Most Recent Investigation)
- H.2 - Slug Test Data (Most Recent Investigation)
- H.3 - Slug Test Summary (Previous Investigation)

Appendix I - Laboratory Geotechnical Data
- I.1 - Laboratory Data Summary Tables (Most Recent Investigation)
- I.2 - Laboratory Data (Most Recent Investigation)
- I.3 - Laboratory Data Summary Tables (Previous Investigation)

Appendix J - Geotechnical Analyses
- J.1 - Summary of Geotechnical Design Parameters
- J.2 - Shear Strength Evaluations
  - J.2A - Final Cover
  - J.2B - Liner/LCS Prior to Waste Placement
  - J.2C - Liner/LCS After Waste Placement (Global Stability Analyses)
  - J.2D - Rapid Drawdown of Detention Basin (Global Stability Analysis)
  - J.2E - Summary of Acceptable Shear Strength Values
- J.3 - Foundation Evaluations
  - J.3A - Hydostatic Uplift
  - J.3B - Foundation Settlement
  - J.3C - Bearing Capacity

APTIM

J.4 - Liner/LCS Evaluations
J.4A - Anchor Trench
J.4B - Wheel Loading on Geomembrane
J.4C - Puncture Resistance of Geosynthetics
J.5 - Final Cover Evaluations
J.5A - Waste Settlement
J.5B - Final Cover Geomembrane Strain
J.5C - Final Cover Geocomposite Transmissivity
J.5D - Toe Drain Capacity
J.5E - Terrace Berms

Appendix K - Leachate Collection System
K.1 - Leachate Design Compatibility
K.2 - Loads on the Leachate Collection System
K.3 - Structural Capacity of Leachate Collection System
K.4 - Ring Deflection of the Leachate Collection Pipe
K.5 - Groundwater Seepage Quantities
K.6 - HELP Model Analysis
K.7 - Laminar Flow in the Leachate Collection System
K.8 - Capacity of Leachate Collection System Piping
K.9 - Leachate Storage Volume Requirements
K.10 - Bottom Liner System Design Equivalency
K.11 - Final Cover System Design Equivalency

Appendix L - Landfill Gas

Appendix M - Stormwater Management
M.1 - Rainfall Totals and Distributions
M.2 - Subcatchment Delineation
M.3 - Weighted Curve Number Determination
M.4 - Time of Concentration Calculation
M.5 - Subcatchment Area Discharge Rates
M.6 - Stormwater Conveyance Feature Sizing
M.7 - Detention Basin
M.8 - HydroCAD Output Files
M.9 - Drain Tile Survey
M.10 - NPDES Permit

Appendix N - Quantities
N.1 - Waste Volume Calculations
N.2 - Soil Quantity Calculations

Appendix O - Construction Quality Assurance

Appendix P - Groundwater Impact Evaluation
P.1 - Leachate Data
P.2 - Permitted AGQS Values
P.3 - Model Input Documentation
P.4 - Baseline Model
P.5 - Sensitivity Analyses

Appendix Q - Environmental Monitoring
Q.1 - Output PLUME Models
Q.2 - Existing Zion Landfill Applicable Groundwater Quality Standards (AGQSs)
Q.3 - Typical As-Built Diagrams for Groundwater Monitoring Wells

Q.4 - IEPA Well Construction Report Form and Well Abandonment Form
Q.5 - Sampling Procedures

Appendix R - Operating Plan

Appendix S - Closure and Post-Closure Plan